



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/765,320	01/27/2004	Manfred Fuchs	CQ10441	9408
23373 7590 07/06/2009 SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037				
EXAMINER RAMIREZ, JOHN FERNANDO				
ART UNIT		PAPER NUMBER		
3737				
MAIL DATE		DELIVERY MODE		
07/06/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/765,320

Applicant(s)

FUCHS ET AL.

Examiner

JOHN F. RAMIREZ

Art Unit

3737

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04/22/09.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 16-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 16-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SF/ICE)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____
- Paper No(s)/Mail Date _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 04/22/09 has been entered.

Response to Arguments

Applicant's arguments, see remarks, filed 04/22/09, with respect to the 101 and 112 first paragraph rejections have been fully considered and are persuasive. Therefore, the rejections have been withdrawn.

With respect to the 102 rejection, applicant's arguments in light of the new amendment to claim 20 have been carefully considered and are persuasive.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 16-20 are rejected under 35 U.S.C. 102(b) as being anticipated by non-patent literature Fuchs M. et al. "*Improving source reconstructions by combining bioelectric and biomagnetic data*".

Fuchs M. et al., teach a method of evaluation comprising: acquiring an electromagnetic physiological EEG/MEG signal with a sensor on a subject (see abstract);

performing a source reconstruction of the electromagnetic physiological signal via a signal processing circuit in communication with said sensor (see introduction), with said circuit including a computer system, with a processor and a memory (see BEM model setup section), the computer system (see workstation and fig. 10 as an example), being configured to support multiple parallel threads of execution with one thread being a measurement module (SEP/SEF; see Evoked somatosensory field examinations section; see simulations) and a second thread being a source reconstruction module (BME model);

feeding source reconstruction data through a feedback loop to the measurement module to modify the analysis of a new electromagnetic physiological signal (see introduction and methods section; SEP/SEF measurement verification); and displaying source reconstruction results overlaid onto anatomical data of said patient (see abstract and figs. 10-13).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fuchs M. et al. *"Improving source reconstructions by combining bioelectric and biomagnetic data"*.

Fuchs M. et al. substantially discloses all the subject matter as applied to claim 20 above. However, Fuchs M. et al. does not explicitly disclose that the sensors acquire ECG or MCG signals. Fuchs M. et al. disclose the use of electrophysiological signals such as EEG and MEG. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to use ECG and MCG signals in order to enhance the capabilities of the method to analyze cardiac physiological parameters.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN F. RAMIREZ whose telephone number is (571)272-8685. The examiner can normally be reached on (Mon-Fri) 7:00 - 3:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian L. Casler can be reached on (571) 272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. F. R./
Examiner, Art Unit 3737

/Long V Le/
Supervisory Patent Examiner, Art Unit 3768